


Series for Paper

DIKAPHOR Series 		DSL	AJL	JGL	JGD	JC CONC
<b>Properties</b>	Color Index No (CI. No)	220	86/113	357	357	357
	Appearance (Liquid)	L/Brown	L/Brown	L/Brown	D/Beigy	Ivory Powder
	Color Shade	N.W	N.W-B2B	N.W-R	N.W-R	N.W-R
	Light Fastness	1~2	2	2	2~3	2
<b>Stability</b>	Chlorite Bleach	?	?	?	?	?
	Peroxide Bleach	<del>/</del>	<del>/</del>	<del>/</del>	<del>/</del>	<del>/</del>
	Acid	<del>/</del>	?	<del>/</del>	<del>/</del>	<del>/</del>
	Alkali	?	<del>/</del>	<del>/</del>	<del>/</del>	<del>/</del>
	Hard water	<del>/</del>	<del>/</del>	<del>/</del>	<del>/</del>	<del>/</del>
<b>Dosage</b>	Exhaustion(%)	0.5	0.5	----	----	----
	Paddling(pick Up <80%), g/L	----	----	5.0~10.0	10~20	----
<b>Dyeing</b>	Internal Process	25~30°c	25~30°c	----	----	25~30°c
	Size Press	----	----	----	----	----
	Coating Process	----	----	<del>/</del>	<del>/</del>	----
	Curing Temp/(IR Dry) / Calender	----	----	105°c	105°c	105°c
	Time	30-60 min	30-60 min	60 sec	60 sec	60 sec
<b>Example</b>	<del>/</del> Excellent or Stable	N.W. : Natural White				
	? Moderate or Limited	R,2R,3R, : Reddish				
	? Not recommended	B2B,3B : Bluish				
<b>Remark</b>	Internal Size Press	DSL				
	Coating Process	JGL				
	High Quality Art Paper	JGD				
	Tissue Paper / Toilet Paper	AJL				